

BYINTEK

No.1

World's No.1
Unplugged Projector

10+

Years
Leading Brand

100+

Countries
Network

Explore The Unseen







Mango 1

Display Type: LCD
Resolution: 1280 x 720
Brightness: 150 ANSI
Focus: Auto Focus
Speaker: 4W
OS: Android 14.0



Android 14.0



Mango 1 Pro

Display Type: LCD
Resolution: 1280 x 720
Brightness: 150 ANSI
Focus: Auto Focus
Speaker: 4W
OS: Android 14.0
Battery Life: 1.5 hrs



Android 14.0



4000mAh



Mango 2 Max

Display Type: LCD
Resolution: 1920 x 1080
Brightness: 250 ANSI
Focus: Auto Focus
Speaker: 3W x 2
OS: Google TV 14.0 OS



Google TV 14.0 OS





Love 1

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 150 ANSI
Focus: Auto Focus
Speaker: 5W
OS: Android 9.0



Android 9.0



Fully Sealed
Optical Engine



Love 2

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 350 ANSI
Focus: Auto Focus
Speaker: 5W × 2
OS: Android 9.0



Android 9.0



Fully Sealed
Optical Engine



Screen Fi



Obstacle
Avoidance



Love 5

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 800 ANSI
Focus: Auto Focus
Speaker: 12W
OS: Android 11.0



Android 11.0



Fully Sealed
Optical Engine



Screen Fi



Obstacle
Avoidance



Love 5 Ultra

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 800 ANSI
Focus: Auto Focus
Speaker: 12W
OS: VIDAA TV OS



VIDAA TV OS



Dolby
Decoding



Auto
Screen Fit



Obstacle
Avoidance

Forces and Motion

Newton's Second Law


$$F = ma$$

Force = mass $\times$ acceleration



A net force causes acceleration
in the direction of the force.

Free-body diagram:



Larger force
→ larger acceleration



Physics
builds a
brighter
tomorrow

Physics
Mechanics
Waves
Electricity
Modern Physics

BYINTEK



Book 1

Display Type: DLP
Resolution: 960 × 540
Brightness: 130 ANSI
Focus: Auto Focus
Speaker: 5W × 2
Battery Life: 2.5 ~ 3.5 hrs
3D: DLP-Link 3D
OS: Android 9.0



Android 9.0



10000 mAh



Book 4

Display Type: DLP
Resolution: 1920 × 1080
Brightness: 850 ANSI
Focus: Auto Focus
Speaker: 10W × 2
3D: DLP-Link 3D
OS: Android 11.0 OS



Optional :**Magic 3 Max**  Google TV 14.0OS

Max Support Android 11.0 OS





Optional : **Magic 1 Max**  Google TV 14.0OS

Magic 1

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 200 ANSI
Focus: Electric Focus
Speaker: 5W x 2
Battery Life: 2 ~ 3 hrs
3D: DLP-Link 3D
OS: Android 9.0



Android 9.0



15000mAh



Optional : **Magic 2 Max**  Google TV 14.0OS

Magic 2

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 350 ANSI
Focus: Auto Focus
Speaker: 10W x 2
Battery Life: 1.5 ~ 3 hrs
OS: Android 11.0



Max Support



Android 11.0



20800mAh



Magic 4 MAX

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 1100 ANSI
Focus: Auto Focus
Speaker: 20W x 2
3D: DLP-Link 3D
OS: Google TV 14.0



Max Support



Google TV 14.0OS



CoCo 1 Max

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 600 ANSI
Focus: Auto Focus
Speaker: 20W x 2
3D: DLP-Link 3D
Throw Ratio: 0.18:1
OS: Google TV 14.0



Max Support




Google TV
14.0OS





Business Data Analyst



NEXT-GENERATION BUSINESS SOLUTIONS

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



Note 1

Display Type: 3LCD
Light Source: UHP
Resolution: 1280 × 800
Brightness: 3300 ANSI
Throw Ratio: 0.46:1
Short Throw Projector



3300 ANSI



Note 2

Display Type: 3LCD
Light Source: Laser
Resolution: 1280 × 800
Brightness: 4500 ANSI
Throw Ratio: 0.48:1
Short Throw Projector



4500 ANSI



Note 3

Display Type: 3LCD
Light Source: Laser
Resolution: 1920 × 1200
Brightness: 4800 ANSI
Throw Ratio: 0.235:1
Ultra Short Throw Projector



4800 ANSI



Note 4

Display Type: DLP
Light Source: Laser
Resolution: 1280 × 800
Brightness: 3500 ANSI
Throw Ratio: 0.492:1
Short Throw Projector



3500 ANSI



Meet 1

Display Type: 3LCD
Light Source: UHP
Resolution: 1024 × 768
Brightness: 3300 ANSI
Throw Ratio: 1.47 – 1.77:1
Zoom: 1.2x



3300 ANSI



Meet 2

Display Type: 3LCD
Light Source: Dual UHP
Resolution: 1920 × 1200
Brightness: 5500 ANSI
Throw Ratio: 1.08 – 1.76:1
Zoom: 1.6x
Lens Shift: V: ±40%, H: ±10%



5500 ANSI



Meet 3

Display Type: 3LCD
Light Source: Laser
Resolution: 1920*1200
Brightness: 6000 ANSI
Throw Ratio: 1.2 – 2.0:1
Zoom: 1.6x
Lens Shift: V: +60%, H: ±29%



6000 ANSI



Meet 4

Display Type: 3LCD
Light Source: Laser
Resolution: 1920 × 1200
Brightness: 10000 ANSI
Throw Ratio: 1.30 – 3.02
Zoom: 2.3x
Lens Shift: V: +50% / -10%,
H: ±20%



10000 ANSI



BASETOP WB1

Product Name: Wall bracket
Material: Aluminium Alloy
Interface: BSP 1/4 Screw
Maximum Load: 4kg
Net Weight: 0.5kg



BASETOP TB1

Product Name: Desk Tripod
Material: Aluminium Alloy
Interface: BSP 1/4 screw
Maximum Load: 3kg
Expanded Height: 130mm
Expanded Width: 225mm



BASETOP TB2

Product Name: Desk Base
Material: Aluminum alloy
Product Connector: BSP 1/4 Screw
Maximum Load: 5kg
Product Size: 200 x 200 x 120mm



BASETOP WB3

Product Name: Ceiling mount
Material: Aluminum alloy
Adjustable Height: 120-520mm
Interface: BSP 1/4 Screw
Maximum Load: 5kg



BASETOP TB11

Product Name: Floor Stand
Material: Aluminum alloy
Product Connector: BSP 1/4" Screw
Adjustable Height: 250-760mm
Maximum Load: 5kg



BASETOP WB5

Product Name:
Projector ceiling mount
Telescopic: 430-650mm
Claw Diagonal: 42-380mm
Max Load: 5kg (Ceiling) / 3kg (Wall)



BASETOP TB10

Product Name: Projector gimbal base
Material: PC+ABS
Interface: 1/4" Screw
Color: Black
Product Dimensions: 8x8x2.5cm
Max Load: 1.5kg



SOUNDOG PS1

Product Name: Bluetooth speaker
Waterproof Rating: IPX6
Speaker: 30W x 1, 15W x 2
Battery Lifetime: 3~6 hrs
Product Size: 297 x 133 x 130mm



3DGLASS AS100

Product Name: DLP-Link 3D Glasses
Battery: 3.7V 60mAh
Battery Lifetime: 40hr±5hr
Suitable Type: For 3D DLP Projector



POWER TM168

Product Name:
148W 40000mAh power bank
Charging voltage: 19V 3.42A-6.32A
Charging Duration: 4H
Product Size: 220 × 185 × 40mm
USB Output: 5V 3A
DC Output: 16.8V 8A
(Support DC 19V 3.42A-6.32A
projector power supply)



ADAPTER CHD002

Product Name: Type-C to HDMI cable
Maximum Resolution: 4K 30 Hz
Cable Length: 1m
Product Size: 15*5*4cm
Application: Connect PCs /
Smartphones to Projectors



CABLE HD100

Product Name: HDMI Cable
Cable Length: 1.5m
HDMI Version: 2.0
Max Supported Resolution: 4K@30Hz



VOICE VC100

Product Name: Portable voice amplifier
Speaker: 1x5W
Shell Material: ABS
Connection: Bluetooth wireless
Battery Capacity: 2600mAh/80mAh



BAG CB105

Product Name: Projector storage bag
Product Size:
340(L) × 135(W) × 280(H)mm
Material: 1680D Double Oxford Fabric



BAG CB106

Product Name: Projector storage bag
Product Size:
220(L) × 220(W) × 60(H)mm
Net Weight: 180g
Material: 300D Oxford Cloth




BAG CB107

Product Name: Projector storage bag
Product Size:
310(L) × 290(W) × 175(H)mm
Net Weight: 315g
Material: 300D Oxford Cloth



CAST001

Product Name:
Wireless HDMI transmitter and receiver
HDMI Version: 2.0
Max Transmission Distance: 50m
Max Resolution: 1080p@60Hz



SCREENOW SS003 F100

Product Name:
Simple ALR projector screen
Material: Polyester
Color: White
Size: 100 inch, 16:9
Anti Light Type: Coated ALR





SCREENOW SS001 F100

Product Name: Simple elastic screen
Material: Polyester
Size: 100 inch, 16:9




SCREENOW TS008 F100

Product Name: Fast-folding screen
Material: Polyester
Size: 100 inch, 16:9
Gross Weight: 3.1kg





SCREENOW SS004 F100

Product Name:
Simple ALR projector screen
Material: Polyester
Color: Dark grey
Size: 100 inch, 16:9
Anti Light Type: Coated ALR
Not for short-throw, laser,
side, or ceiling projection.





SCREENOW FS002 F100

Product Name:
Fresnel ALR frame screen
Size: 100 inch, 16:9
Anti Light Type:
Fresnel ambient light rejecting
(ALR) Structure
Suitable Type:
For long-throw projectors



SCREENOW FS003 F100

Product Name:
Black grating ALR Frame screen
Anti Light Type:
Black grating structure anti light
Size: 100 inch 16:9
Suitable Type:
For Ultra short throw projector




SCREENOW TS004 F100

Product Name:
Black grating electric floor up screen
Anti Light Type:
Black grating structure anti light
Size: 100 inch 16:9
Suitable Type:
For Ultra short throw projector



SCREENOW TS006 F100

Product Name: Portable floor screen
Material: White fiberglass
Size: 100 inch, 16:9



SCREENOW TS003 F100

Product Name: Mobile bracket screen
Material: White Plastic
Size: 100 inch, 16:9



SCREENOW MS001 F100

Product Name:
Manual Self-locking Screen
Material: White plastic
Size: 100 inch, 16:9



SCREENOW ES009 F100

Product Name:
Motorized projector screen
Material: White plastic
Size: 100 inch, 16:9



Mobile Education & Office



Book 1 Projector



Desktop Tripod



16GB USB Drive



Telescopic Teaching Pointer



Type-C to HDMI
Adapter Cable



1.5m HDMI Cable




Portable Voice Amplifier



Type-C Multiport Hub



Projector Storage Bag



Home Entertainment Solutions



Note 1 Projector



Short Throw Wall Mount



100" Projector Screen



2.4G Wireless Presenter
with Air Mouse



Telescopic T
eaching Pointer



Portable Voice Amplifier



Type-C Multiport Hub



16GB USB Drive



Accessory Bag



1.5m HDMI
Cable



30m HDMI Cable



Wireless HDMI
Transmitter and Receiver



Home Entertainment Solutions



Magic 2 Max Projector



Type-C to HDMI
Adapter Cable



1.5m HDMI Cable



Type-C Multiport Hub



Projector Storage Bag



100" Long-throw Fresnel
Anti Light Frame screen



Business & Conference



Meet 2 Projector



Projector Ceiling Mount



120" Motorized
Projector Screen



2.4G Wireless Presenter
with Air Mouse



Type-C to HDMI
Adapter Cable



Type-C Multiport Hub



Wireless HDMI
Transmitter and Receiver








1.5m HDMI
Cable× 2 pcs



30m HDMI Cable

Product Guide

Series	Entry	Core	Advanced	Solution
Mango	Mango 1	Mango 1 Pro	Mango 2 Max	Home Entertainment
Love	Love 1	Love 2	Love 5	Home Entertainment
Book	Book 1	Book 2	Book 3	Enhanced Home Entertainment
				Mobile Education & Office
Magic	Magic 1 Max	Magic 2 Max	Magic 4 Max	Advanced Home Entertainment
				Enhanced Mobile Education & Office
Note	Note 1	Note 2	Note 3	Professional Education & Office
Meet	Meet 1	Meet 2	Meet 3	Business & Conference



LOOKING FOR DISTRIBUTORS WORLDWIDE



Partner with BYINTEK

 Headquater

8th Floor,Suncity Building,Wangcheng District,
Changsha City, Hunan Province, China

 Shenzhen office

East Block Jinke Industrial Park,Longhua District,
Shenzhen City

 Chansha Office

Building 3, Industrial Plant,Wangcheng District ,
Changsha City